

# Oscar

Italian design and technology in the world



## HOSPITALIZATION

### Frequent usage

All clinical areas

Intensive care unit





10 BUTTONS HANDSET



FREE WHEELS



BRAKED WHEELS



DIRECTIONAL SYSTEM

## Benefits


- Frame in stainless steel. It is painted in thermosetting and antibacterial epoxy paint.
- Ergonomic bed sections are covered in thermoformed removable ABS easy to sanitize.
- Patient surface height 47 cm high performing with telescopic height adjustment columns and integrated scale system.
- The structure is designed to allow an easy sanitization with the most common used detergent.
- Lightweight, sturdy and easily removable Head/foot panels.
- Side barrier predisposition.
- Low voltage spline motors.
- Quick release of the backrest through dedicated lever for CPR emergency manoeuvre.
- Total absence of mechanism and leverism underneath the bed surface for an efficient sanitification.
- Emergency power supply system by rechargeable batteries. 10 cycles duration.
- Clearance suitable for patient hoists.
- Easy access to clean the floor underneath the bed.
- High load wheels allow easy movement even while the patient is on the bed.
- Any parts or component of the bed are subject to wear and tear.
- Absence of parts that need to be greased.
- Latex and phthalates free.

## Standard features

- 4 Sections patient surface with 3 joints covered in thermoformed ABS covers, washable and removable.
- Epoxy painted.
- Motorized back section 0-70°.
- Motorized femoral section 0-25° (approx.).
- Movements of the leg section by gas spring, synchronized with the leg section 0-35°.
- Height adjustable through motorized columns.
- Trendelenburg and reverse Trendelenburg.
- Quick release of the back section for CPR - Equipment code AC8L.
- Emergency battery - Equipment code AC17L.
- Head and foot boards in thermoplastic material with removable HPL panel, equipment code AC65. Head and foot panels entirely in thermoplastic with predisposition for customizable vinyl stickers, accessory code AC65/1. (a safety lock is available for both models of panels - accessory code AC121).
- No. 4 bumpers.
- Cable support - Equipment code AC50L.
- Equipotential node.
- Braking device on two bars with directional system and non-marking wheels. Activated by bilateral pedals - Equipment code AC7L1G.
- 10 buttons handset.
- Handset's inhibition key - Equipment code AC34L.
- Predisposition for side rails - Equipment code AC21/S.
- Predisposition for semi-side rails - Equipment code AC71/S.

## Movements

### TRENDELENBURG



### SECTIONS MOVEMENT




## Movements



REVERSE TRENDELENBURG



ADJUSTABLE HEIGHT



## Available head and foot boards



### AC65



Board made out in thermoplastic with panel in HPL, available in blue or in white.

### AC65/2



Head and foot panels entirely in thermoplastic with predisposition for customizable vinyl stickers. The sticker can be placed both inside and outside. A wide range is available for the stickers, please refer to the colour chart below.



EASILY REMOVABLE HEAD/FOOT PANELS FOR AN EASY SANITIZATION OF THE DEVICE.

## Recommended accessories



### AC121





Safety locks for head and foot panels.





## Dimensions



### Standard version
















### Version with AC21




















## Colour chart

### COLOUR FRAME

The entire structure of the chair is protected by epoxy and thermosetting paints. The paints are enriched with antibacterial upon request. Whether not specified the frame of the device will be painted in white 9010.

 Code 2004	 Code 5012	 Code 7035
 Code 3020	 Code 6027	 Code 9005
 Code 1018	 Code 6018	 Code 9010
 Code 1021	 Code 7001	 Code 4010
 Code 5010	 Code 9006	

### VINYL STICKERS

 Code 527	 Code 503	 Code 546
 Code 509	 Code 524	 Code 530
 Code 513	 Code 510	 Code 501
 Code 528	 Code 532	 Code 502
 Code 538	 Code 531	 Code 547
 Code 516	 Code 508	

## Scheda tecnica

GMDN Code	<b>34870</b>
ID Product	<b>GB0017.SS</b> Acciaio inox
Inteded use	Letto polifunzionale
Manufacturer	GARDHEN BILANCE SRL
Spare parts availability	10 years
Overall weight	168 kg
Control	Handset with key
Battery	10 cycles of autonomy
Power	Multivoltage 100-240 Vac 50/60 Hz
Main cord	Schuko or other upon request
Wheels	Nr. 4 swiveling and stainless 150 mm with braking system
Electric motors	Low voltage (24 V)
Max electrical input	4A
Insulation	IP44
Max load	Standard 200 kg / Bariatrica 300 kg
Safety working load	Standard 235 kg / Bariatrica 335 kg






For certifications please refer to "Certifications and Quality system" section

Pictures contained in this brochure is for illustrative purpose only. The manufacturer reserves the right to modify the projects without notice. For accessories identification please refer to the accessory catalogue or commercial offer. When data are different please refer to commercial offer.

Dep. EN\_107 rev. 14/10/2021



### MAIN CORD

	Type F - Schuko
	Type L - 16A
	Type I - Australia
	Type B - Canada and USA
	Type G - UK plug