

RF ECO BASIC SET



A Phoenix Mecano Brand

Page 1/3 - stand of 02/2020

Ricevitore e trasmettitore abbinati



Vantaggi per il cliente

- Design accattivante
- Combinabile con 2 sistemi Okin a motore
- Custodia senza viti
- Trasmettitore RF e ricevitore RF nel set

Note: Responsibility for OKIN products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which OKIN products are fitted. We accept no liability for the correctness.

DewertOkin GmbH • Weststraße 1 • 32278 Kirchlengern
Phone: +49 (0)52 23 / 9 79 -0 • Fax: +49 (0)52 23 / 7 51 82 • Email: info@okin.de • Internet: <http://www.okin.de>

Standard configurations

Dati sulle prestazioni

Centralina	Controllo radio (2,4 GHz)
Numero di tasti	max. 6
Led funzionali	No
Torcia integrata	No
Retroilluminazione / colore	No
Alimentazione di tensione	2 batterie da 1,5V (AAA)
Colore della custodia	Colore della custodia trasmettitore e ricevitore (OT/UT) nero/nero

Ulteriori dati


Tipo di protezione	IP20
Umidità relativa dell'aria	30 - 75%
Temperatura ambiente	+10 to - 40 °C
Possibilità di collegamento	Trasmettitore RF e ricevitore RF nel set
Dotazione speciale	Piastra adattatore per OM4
Certificati / autorizzazioni	RED e FCC/IC

RF ECO BASIC SET



A Phoenix Mecano Brand

Page 3/3 - stand of 02/2020



Note: Responsibility for OKIN products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which OKIN products are fitted. We accept no liability for the correctness.

DewertOkin GmbH • Weststraße 1 • 32278 Kirchlengern
Phone: +49 (0)52 23 / 9 79 -0 • Fax: +49 (0)52 23 / 7 51 82 • Email: info@okin.de • Internet: <http://www.okin.de>