RF TOPLINE



Page 1/3 - stand of 02/2020

RF Topline: Direct feedback for key presses

Customer benefits

- Shapely design
- Can be combined with all Okin systems
- Visual feedback display for enabled keys

Note: Responsibility for OKIN products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which OKIN products are fitted. We accept no liability for the correctness.

RF TOPLINE



Page 2/3 - stand of 02/2020

Standard configurations

Performance data


Controller	2.4 GHz radio bi-directional controller	
Number of keys	11	
Function LED	Yes	
Integrated flashlight	Yes	
Backlight / colour	Blue	
Power supply	Three 1.5V batteries (AAA)	
Housing colour	Housing colour (top/bottom) black/black, silver/black	
Additional data		
Protection degree	IP20	
Relative air humidity	30 to 75 %	
Ambient temperature	+10 to +40 °C	
Custom configuration	Soft-touch on request	
Certificates / Approvals	RED, FCC/IC	


Note: Responsibility for OKIN products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which OKIN products are fitted. We accept no liability for the correctness.





Page 3/3 - stand of 02/2020





Note: Responsibility for OKIN products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which OKIN products are fitted. We accept no liability for the correctness.