Akka

Designed to ensure maximum comfort







RETRACTABLE FOOTREST, WITH NON-SLIP SURFACE



FOOTREST WITH SYSTEM OF STABILIZATION USEFUL DURING ACCESS E THE OUTPUT OF THE PATIENT

Benefits



- The synchronized or independent movement of the pneumatic or motorized sections is ensured by an easy access lever for patients and operators.
- The seat, the backrest and the legrest are made with soft foam material. They fit perfectly to the physical size of every patient offering exclusive feelings of wellbeing.
- The armrest is height adjustable by an easy access and control mechanism and allows 3 position levels.
- The retractable footest, with non-slip surface, is equipped with a stabilization system that is very useful during patient access and exit.
- Swivel wheels with a diameter of 25mm, two on the rear side with brakes, that guarantee excellent maneuverability. È possibile dotare la poltrona di 2 ruote direzionali di diametro 125mm e due puntali antiscivolo anteriori (AC136), oppure con 4 piedini antiscivolo senza poggiapiedi (AC135). Consultare il catalogo accessori per maggiori dettagli. Telaio verniciato con vasto assortimento colori come da campionario.
- Fabric with antibacterial, antimycotic and flame retardant properties. Resistant to alchool, hydrogen peroxide, hypochlorite sodium 5%, latex free, no phtalates. Available in a wide range of colours.
- Max load standars version 140 kg.

Standard features



- 3 lying sections with indipendent cushions.
- Steel frame with antimicrobial and thermosetting powder coating. Colours chart at page 4.
- Pneumatic or automatic synchronized movement of the backrest and legrest section with bilateral lever control or with the panel control.
- Nr. 4 durable, moulded, stainless, swivel wheels D125 mm Two braking wheels on the rear side.
- Indipendent brake on every wheel.
- Armrests made in soft plastic seamless, completely removable and height adjustable through bilateral.
- Manual Retractable footrest, with nonslip surface, equipped with a stabilization system that is very useful during patient access and/or exit.
- Upholstery in flame retardant leatherette UNI 9175/87 e 9175FA-1/94 class 1IM Equipment code AC87/1.
- Ergonomic handles.

Movements







ADJUSTABLE ARMREST



ERGONOMIC HANDLES TO FACILITATE TRANSPORT



INDEPENDENT BRAKE ON EACH WHEEL

Colour chart

FRAME COLOURS

The entire structure of the chair is protected by epoxy and thermosetting paints. The paints are enriched with antibacterial upon request. Wether not specified the frame of the device will be painted in white 9010.

- Code 2004
- Code 5012
- Code 7035

- Code 3020
- Code 6027
- Code 9005

- Code 1018
- Code 6018
- Code 9010

- Code 1021
- Code 7001
- Code 4010

- Code 5010
- Code 9006

COLOURS FOR STANDARD UPHOLSTERY

- Code 5947
- Code 0872
- Code 0014

- Code 5948
- Code 4947
- Code 0027

- Code 0680
- Code 0006

- Code 0508
- Code 1944

Code 4008

Code 0346

- Code 0041
- Code 1946
- Code 016043

- Code 0064
- Code 4933
- Code 011499

- Code 0055
- Code 0430
- Code 015815

- Code 1816
- Code 0151
- Code 015814

- Code 0833
- Code 0667
- Code 016042

COLOURS FOR SILICONIC UPHOLSTERY (THEY HAVE A HIGHER PRICE) ACCESSORY CODE AC87

- Code 7039.08
- Code 7039.14
- Code TH.439

- Code 7039.06
- Code TH.513
- Code TH.438

- Code 7039.17
- Code TH.511
- Code TH.322

- Code TH.305
- Code TH.224


- Code 7039.20
- Code TH.378
- Code 312


- Code 7039.10
- Code TH.300
- Code TH.226

- Code 7039.19
 - Code 7039.13
- Code TH.510

Dimensions







Type F - Schuko Type L - 16A Type I - Australia Type B - Canada and USA Type G - UK plug

Scheda tecnica

Max safety load

GMDN Code 36985 ID Code GB0225.SP 1 Version **GB0226.SP** 2 Motorized Version Inteded use Relax chair GARDHEN BILANCE SRL Manufacturer Overall weight Wheels No. 4 da 125 mm stainless with indipendent brake 78° / 158° Adjustable backrest 90°/0 Adjustable leg section Max load 140 kg

175 kg

For certifications please refer to "Certifications and Quality system" section

or commercial offer. When data are different please refer to commercial offer.

Pictures contained in this brochure is for illustrative purpose only. The manufacturer reserves the right to modify the projects without notice. For accessories identification please refer to the accessory catalogue