Active 200

Electric height-adjustable couch



COUCHES

Bariatric treatments

Frequent usage

Physiotherapy Bobath Rehabilitation Visit Examinations








BOBATH METHOD

The Bobath method represents the physiotherapeutic approach for patients with movement and postural control disorders related to neurological injuries. The Bobath method requires a strong interaction between patient and physiotherapist: it is not a form of passive physiotherapy, but more of a re-education, a continuous learning of the patient and, in parallel, a continuous re-evaluation and re-setting by the therapist.

The single-section **Active 200** medical device is divided into two separate parts for ease of transport.

SINGLE SECTION





Would you like to customize the frame?

Scan or click the QR code and discover how to customize the device consulting our colour chart.



Would you like to customize the upholstery?

Scan or click the QR code and discover how to customize the device consulting our colour chart.



Standard features


- Motorised table height adjustment by means of linkages operated by a low-voltage linear actuator. It is possible to achieve a minimum height of 50 cm up to a maximum height of 90 cm, with a total range of 40 cm.
- Reinforced frame, made of steel painted with thermosetting epoxy powders enriched with antibacterial, customised colour on request.
- The perimeter hand control is equipped with a 3.5 m coiled cable. For patient safety, the hand control is equipped with a key for control inhibition (equipment code AC34L). The hand control is easy to use as it has large raised pictograms and is also suitable for visually impaired patients; IP66 insulation.
- 8 adjustable feet at the base of the frame for extreme stability on all surfaces.
- 4 twin castors with a diameter of 65 mm for transferring the couch easily from place to place. The castors are retractable and are controlled by a bar (foot control) located at both foot and head side, which allows the activation/deactivation of the movement system Equipment code AC188.
- Padding made of high-density foam resin.
- Upholstery in class 1lM leatherette, a material that can be sanitised with commonly used detergents and medical-surgical aids, with antibacterial, antifungal and stain-resistant properties. Colour customisation on request (equipment code AC87/1).







Dimensions



Do you want to improve the device?

Scan the QR code and find out all the available accessories on the **accessories chart**.







Technical sheet

CND - EMDN V080603 **GMDN** 34870

UDI-DI di base 805771740LVISKK

Progressive N./R 2536007/R

ID Code GB0388.SP-3.0 - Active 200 - single sector

Inteded use Physiotherapy/rehabilitation couch

GARDHEN BILANCE SRL Manufacturer

Overall weight 120 kg Controls Handset

No. 8 adjustable Feet

Wheels 4 twin castors with a diameter of 65 mm. Power Multitension 100-240 Vac 50/60 Hz

24v - 4.5A Battery

Electric motors Low voltage Low voltage (24 V)

Max electrical input 4A Insulation **IP44** Max load capacity 200 kg Safety working load 235 kg

Main cord



Type F - Schuko



Type L - 16A



Type I - Australia



Type B - Canada and USA



Type B - Canada and USA

Gardhen Bilance S.r.l.

Via G. Luraghi c/o Consorzio II Sole - lotto S - 80038 Pomigliano d'Arco (NA) - Italia Tel. +39.081.8692160 pbx - Fax +39.081.8692460

E-mail: info@gardhenbilance.it - PEC: gardhenbilance@pec.it

Visita il nostro sito www.gardhenbilance.it / Seguici su (in) (f) 💿 🎯 🗭









