


# Dike

Reliable weighing system



## WEIGHING SYSTEM

### Frequent usage

Infirmary

Pharmacy

Specialistic



POWER SUPPLY



RECHARGEABLE BATTERIES OF TYPE AA

## Benefits

The models DIKE 60/150 kg and DIKE 100/200 kg are equipped with altimeter and column display, in addition:

- Scales are realized to have a precise body weight of the men..
- Using height-meter it is possible to measure the height of a patient up to 2 meters.
- Scales are equipped with backlight LCD display.
- All models are powered by battery and/ or low voltage power supply.

## Recommended Accessories

- Thermal printer
- Computer software

GLP PROCEDURES

GLP

MAX<sup>+</sup>

PEAK

ALIBI MEMORY




INTERNAL BATTERY

BODY MASS INDEX



BMI

## Technical sheet



## Technical sheet



CND Code	<b>V0399</b>	
N. progressivo/R	<b>2195302/R</b>	
ID Product	<b>GB0142.BP</b>	<b>GB0142.BP-2</b>
Intended use	Weighing system personal scales	
Max capacity	60/150 kg	100/200 kg
Readability	20/50 g	50/100 g
Tare range	-150 kg	-200 kg
Working temperature	0°/+40°C	0°/+40°C
Output signal	RS 232	RS 232
Power supply	100 ÷ 240 V AC 50/60 Hz and batteries	100 ÷ 240 V AC 50/60 Hz and batteries
Display	LCD retroilluminato	LCD retroilluminato
Atmospheric Moisture	10% ÷ 85% RH non-condensing	10% ÷ 85% RH non-condensing

For certifications please refer to "Certifications and Quality system" section

Pictures contained in this brochure is for illustrative purpose only. The manufacturer reserves the right to modify the projects without notice. For accessories identification please refer to the accessory catalogue or commercial offer. When data are different please refer to commercial offer.

Dep. EN\_109 rev. 19/01/2022

