### Freddy EMERGENCY CART



**EMERGENCY CART** 

Frequent usage

Emergency room Resuscitation Operating Room Intensive care



### **CONFIGURATION 1**

(the picture represents one of the available configurations)


### TECHNOLOGY CE FUNCTIONALITY

small footprint capable of adapting to all situationsand



www.gardhenbilance.it









### **Available configurations**



### **CONFIGURATION 1**

Drawers 3+2+1

3 drawers

with dimensions 42x37.8x7.8h

2 drawers

with dimensions 42x37.8x15.8h

1 drawer

with size 42x37.8x23.7h

**CONFIGURATION CODE - GB0320.SP-1** 



### **CONFIGURATION 2**

Drawers 1+3+1

1 drawer

with dimensions 42x37.8x7.8h

3 drawers

with dimensions 42x37.8x15.8h

1 drawer

with size 42x37.8x23.7h

**CONFIGURATION CODE - GB0320.SP-2** 



### **CONFIGURATION 3**

Drawers 2+1+2

2 drawers

with dimensions 42x37.8x7.8h

1 drawer

with dimensions 42x37.8x15.8h

2 drawers

with size 42x37.8x23.7h

**CONFIGURATION CODE - GB0320.SP-3** 





### Other features of the medical device

- Solid, sturdy construction with steel sheets painted with thermosetting epoxy powder.
- Resistance to tipping.
- Structure lightweight, self-supporting monocoque.
- Small footprint, also suitable for small rooms.
- Large storage capacity.
- 4 castors Ø 125 mm stainless swivel castors including two with dual-action brake with foot pedal. The wheels are non-marking, low rolling resistance, highly silent, sliding on bearings and high capacity.
- Table top made of plastic material without sharp edges for easy cleaning and disinfection.
- Pull-out shelf with push and pull opening.
- Sheet-steel drawers slide on soft-close slides (drawer slides support up to 30 kg)
- Central locking with key (No. 2 Keys supplied).
- First drawer complete with tamper-evident seal.
- No. 10 self-destructive seals upon removal.
- No. 3 standardized DIN bars on the sides.
- No. 1 rear standardized DIN bar.
- Corner bumpers placed on the 4 corners of the base.
- Pull-out shelf with push and pull opening.
- Push handles built into the cover.
- Available in three different configurations.
- Available with up to 7 drawers.
- Optional interchangeable and removable components without a tool.





### Drawers with soft closing

The drawers are made of sheet steel and slide on slides with soft closing. The drawer runners are extremely durable supporting up to 30 kg.




## Emergency Carts

### Recommended optional components

### Kit consisting of the following accessories

- ① Code ACCF1 Brochure stand
- 2 Code ACCF5 Cylinder holder
- 3 Code ACCF9 Cutter holder
- 4 Code ACCF10 Defibrillator or monitor tray
- 5 Code ACCF11 Cardiac Massage Board



### Recommended optional components













# Emergency Carts

### Recommended optional components













### Recommended optional components








Drawer divider kits: ACCF15/1 - 10 compartments; ACCF15/2 - 15 compartments; ACCF15/3 - 20 compartments; ACCF15/4 - 25 compartments



## Emergency Carts

### Size table



### **Data Sheet**

CND/EMDN Code	V0899
GMDN	46978
Basic UDI-DI	805771740FREDGB
No. progressive/R	2441196/R
Product Code	GB0320.SP-1 - Configuration 1 (drawers 3+2+1) GB0320.SP-2 - Configuration 2 (drawers 1+3+1) GB0320.SP-3 - Configuration 3 (drawers 2+1+2)
Intended Use	Emergency cart
Manufacturer	GARDHEN BILANCE SRL
3+2+1 configuration (standard)	3 drawers 42x37.8x7.8h cm 2 drawers 42x37.8x15.8h cm 1 drawer 42x37.8x23.7h cm
1+3+1 configuration	1 drawer 42x37.8x7.8h cm 3 drawers 42x37.8x15.8h cm 1 drawer 42x37.8x23.7h cm
2+1+2 configuration	2 drawers 42x37.8x7.8h cm 1 drawer 42x37.8x15.8h cm 2 drawers 42x37.8x23.7h cm

### Gardhen Bilance S.r.l

Via G. Luraghi c/o Consorzio II Sole - lot S - 80038 Pomigliano d'Arco (NA) - Italy Tel. +39.081.8692160 pbx - Fax +39.081.8692460

E-mail: info@gardhenbilance.it - PEC: gardhenbilance@pec.it











Images reproduced in this sheet are for reference only and dimensional values are nominal. It is the right of the manufacturer make changes to the designs without prior notice. For the identification of standard equipment and for the choice of any additional components refer to the optional components catalog and/or commercial proposals. In case of discordant data, the content of business proposals shall prevail. In the event that no preferences are expressed on the to the colors of the devices ordered, the same, will be made in the colors shown in the data sheet/brochure. Dep. EN 144 rev. 10/05/2024