# Stephen H Freedom - Bariatric

# Feel free like at home











ARMRESTS MOVEMENT IS SYNCHRONIZED WITH THE BACKREST



- Anti-tilt frame, it prevents any tilt in every operative conditions.
- Frame painted with epoxy paints enriched with antibacterial. Available in a wide range of colours.
- Independent movements of back and seat through two dedicated motors.
- Height adjustment through no.2 motorized columns.
- Two separate cushions for back and seat/leg functional for a perfect ergonomy and posture preventing decubitous wounds.
- The upholstery is completely removable allowing a thorough and effective sanitization reducing the risks of cross infections. A wide range of colours is available.
- Upholstery's features: antibacterial, flame retardant class 11M, antimycotic, ecologic, latex free, phtalate free and resistant.
- Armrest's movements synchronized with the backrest.
- Available with a wide range of functional and exclusive accessories (see accessories catalogue).
- Excellent and ergonomic posture with decubitus wound preventive effect.
- Braking system ensures high stability to the device.
- Easily sanitizable with the most common used detergents.
- Armrest with multiple adjusment functions.
- Max load capacity 300 kg.





HEIGHT ADJUSTABLE THROUGH MOTORIZED COLUMNS

5/



### **Stephen H Freedom Bariatric**

# **Standard features**

- Painted steel frame in thermosetting powder. Wide range of colours at page 5.
- Lying surface divided in 3 sections (backrest, seat and leg).
- The chair can be adjusted through 5 motors:
  - No.2 motors for the independent adjustment of the back and leg sections Equipment code AC12.
  - -No.1 motor for the inclination of the seat Equipment code AC35/1.
  - No.2 motorized columns for the height adjustament Equipment code AC28/300.
- 10° Trendelenburg position (shock position as alternative).
- The armrests are completely removable and can be rotate, tilted and overturned at 90°; (please refer to the accessories catalogue for other version of armrests).
- $\bullet$  No. 4 wheels Ø 100 mm antistatic, sturdy, stainless and swivable.
- Simultaneous brake on 4 wheels with directional system made in chromed steel, activated through bilateral rear pedals- Equipment code AC7P2G.
- 13 buttons handset with 3 memories can activate movements (equipment code AC6MP). For patient's safety purpose the handset is provided with an inhibition key, equipment code AC34P. The handset is user friendly and has visual pictograms useful for partially sighted people. Insulation IP66.
- Bilateral handset support Equipment code AC25P.
- ABS base cover Equipment code AC83H.
- Easily removable soft foam independent cushions.
- Upholstery in flame retardant leatherette UNI 9175/87 e 9175FA-1/94 class 1IM Equipment code AC87/1.

# Armrests' movements



ROTATION



OVERTURNABLE



TILTABLE



JOINTLY TO THE BACKREST



13 BUTTONS HANDSET WITH MEMORY FUNCTION (5 MOTORS VERSION) -ACCESSORY CODE AC6MP

### **Movements**

TRENDELENBURG

CLINOSTATIC


**RECLINER POSITION** 

6

# Colour chart

### **FRAME COLOURS**

The entire structure of the chair is protected by epoxy and thermosetting paints. The paints are enriched with antibacterial upon request. Wether not specified the frame of the device will be painted in white 9010.



### COLOURS FOR STANDARD UPHOLSTERY




### COLOURS FOR SILICONIC UPHOLSTERY (THEY HAVE A HIGHER PRICE) ACCESSORY CODE AC87





**Stephen H Freedom Bariatric** 



### Stephen H Freedom Bariatric

# Technical sheet

GMDN Code ID Code	38447 GB0003.BP Painted steel GB0003.BS Stainless
Inteded use	Multifunctional chair
Manufacturer	GARDHEN BILANCE SRL
Peso totale	100 kg
Ruote	No.4 Ø 100 mm swivable and stainless with braking system
Alimentazione	100 - 240 Vac 50/60 Hz
Motori elettrici	Low voltage (24 V)
Assorbimento max	4A
Isolamento	IP44
Portata Massima	300 kg
Carico di Lavoro Sicuro	335 kg
Angolo schienale	76° (customizable upon request)
Angolo gambe	45° (customizable upon request)



For certifications please refer to "Certifications and Quality system" section

Pictures contained in this brochure is for illustrative purpose only. The manufacturer reserves the right to modify the projects without notice. For accessories identification please refer to the accessory catalogue or commercial offer.

Dep. EN\_8 rev. 13/10/2021