

# Unica

Beyond the business class



## CHAIR

### Frequent usage

Chemotherapy

Infusions Therapy

Day Hospital

Blood samples

Dialysis

Multifunctional





10 BUTTONS HANDSET  
WITH 2 MEMORY FUNCTION

## Benefits

- Anti-tilt frame, it prevents any tilt in every operative conditions.
- Frame painted with epoxy paints enriched with antibacterial. Available in a wide range of colours.
- Ergonomic and extremely comfortable lying surface.
- The chair is padded in highly resistant expanded PU foam.
- Two separate cushions back and seat/leg functional for: a perfect ergonomics and posture preventing decubitus wounds.
- Upholstery's features: antibacterial, flame retardant class 11M, antimycotic, ecologic, latex free, phthalate free and resistant.
- Max load capacity 150 kg.

## Standard features

- Painted steel frame in thermosetting powder. Wide range of colours at page 4.
- Lying surface divided in 3 sections: backrest, seat and leg.
- Simultaneous movement of the back section and the leg section through 2 motors - Equipment code AC12.
- No. 4 stainless steel wheels (no. 2 swivable with brake and no. 2 fixed) Ø 60 mm.
- The movements of the chair are entirely controlled by a 10 buttons handset with a 3,5mtl coiled cable. The handset is user friendly and has visual pictograms useful for partially sighted people. The handset is provided with 10 buttons with 2 memories. For patient's safety purpose the handset is provided with an inhibition key - Equipment code AC34P - Insulation IP66.
- Easily removable soft foam independent cushions.
- Upholstery in flame retardant leatherette UNI 9175/87 e 9175FA-1/94 class 11M - Equipment code AC87/1.



## Movements

MOTORIZED AND SYNCHRONIZED  
EXTENSION/ELEVATION OF THE LEGREST



ANTISHOCK POSITION

















## Colour chart









### FRAME COLOURS



The entire structure of the chair is protected by epoxy and thermosetting paints. The paints are enriched with antibacterial upon request. Whether not specified the frame of the device will be painted in white 9010.

 Code 2004	 Code 5012	 Code 7035
 Code 3020	 Code 6027	 Code 9005
 Code 1018	 Code 6018	 Code 9010
 Code 1021	 Code 7001	 Code 4010
 Code 5010	 Code 9006	

### COLOURS FOR STANDARD UPHOLSTERY



 Code 5947	 Code 0872	 Code 0014
 Code 5948	 Code 4947	 Code 0027
 Code 0680	 Code 1944	 Code 0006
 Code 0508	 Code 4008	 Code 0346
 Code 0041	 Code 1946	 Code 016043
 Code 0064	 Code 4933	 Code 011499
 Code 0055	 Code 0430	 Code 015815
 Code 1816	 Code 0151	 Code 015814
 Code 0833	 Code 0667	 Code 016042

### COLOURS FOR SILICONIC UPHOLSTERY (THEY HAVE A HIGHER PRICE) ACCESSORY CODE AC87

 Code 7039.08	 Code 7039.14	 Code TH.439
 Code 7039.06	 Code TH.513	 Code TH.438
 Code 7039.17	 Code TH.511	 Code TH.322
 Code 7039.20	 Code TH.305	 Code TH.224
 Code 7039.10	 Code TH.378	 Code 312
 Code 7039.19	 Code TH.300	 Code TH.226
 Code 7039.13	 Code TH.510	



## Dimensions



## Technical sheet

GMDN Code	<b>38447</b>
ID Code	<b>GB0001.JP</b> Painted steel <b>GB0001.JS</b> Stainless steel
Inteded use	Multifunctional chair
Manufacturer	GARDHEN BALANCE SRL
Overall weight	65 kg
Wheels	No.4 Ø 60 mm 2 swivable with brake and 2 fixed
Power	100 - 240 Vac 50/60 Hz
Electric motors	Low voltage 24 (Volt)
Max electrical input	4A
Insulation	IP44
Max load	150 kg
Max safety load	185 kg

### MAIN CORD



Type F - Schuko



Type L - 16A



Type I - Australia



Type B - Canada and USA



Type G - UK plug

For certifications please refer to "Certifications and Quality system" section

Pictures contained in this brochure is for illustrative purpose only. The manufacturer reserves the right to modify the projects without notice. For accessories identification please refer to the accessory catalogue or commercial offer. When data are different please refer to commercial offer.

Dep. EN\_74 rev. 20/12/2021